## Master / Diploma thesis at the

## **Detector labororatory of the Institute for Experimental Physics**


## Optimization of a novel positron emission tomography detector

The aim of this thesis is to optimize the geometrical sizes of a single channel in a Time-of-Flight Positron Emission Tomography (TOF-PET) detector for best image, energy and time resolution. TOF-PET is a technique to reconstruct images exploiting the line of response in coincidence of two 511 keV photons emitted by electron-positron annihilation.

Each individual channel comprises a crystal (LuYAp¹ and LYSO² are considered) and a silicon based photo-detector (MPPC³, Hamamatsu S10362-33-050C series  $3\times3mm^2$  active area,  $50\times50~\mu m$  pixel size). The optimization of the crystal length has to maintain highest possible sensitivity and ensure a coincidence time resolution better than 200ps. The crystal size is optimized to ensure best possible image resolution.

The optimization is to be carried out using the GEANT 4 simulation tool. In order to validate the simulation, one measurement will be performed using one crystal out the possible geometries, coupled to the chosen photo-detector. For the proper comparison, the photo-detection efficiency and the non-linear response function of the MPPC need to be implemented in the simulation.





## Discuss:

- The process of light generation and detection in a PET event.
- the plan for the simulation studies (give sensible range for the length and size of the crystal to be investigate, motivate the decision)
- the plan for the validation measurements (describe the observables to be measured, a possible measurement setup, and the analysis steps required)
- the properties of the photo-detector that need to be implemented in simulation

Supervisor: Marco Ramilli

<sup>1</sup> C. Kuntner et al., "Intrinsic energy resolution and light output of the Lu0.7Y0.3AP: Ce scintillator", Members of the Crystal Clear Collaboration, Nuc. Inst. Meth. A, Volume 493, Issue 3, Pages 131-136, November 2002.

<sup>. &</sup>lt;sup>2</sup> A. Cutler, C. L. Melcher, M. A. Spurrier, P. Szupryczynski, and L. A. Eriksson, Scintillation Non-Proportionality of Lutetium and Yttrium-Based Silicates and Aluminates, IEEE Trans. Nucl. Sci., Vol. 56, No. 3, June 2009.

<sup>&</sup>lt;sup>3</sup> Discription of MPPC S10362-33 series from Hamamatsu, http: //jp.hamamatsu.com/resources/products/ssd/pdf/s10362-33\_series\_kapd1023e05.pdf