

Stuff for phoning

(0)176-311 728 76

5651

589 235 83

To get the back plate off:
turn the phone over with the bottom pointing away. Hold the bottom end of the plate firmly down (in) with the left thumb and push the plate away with the right fingers wedged in the slots provided. It seems to have loosened up on repetition.

To connect outside Germany try the following in **Network setup**:

English

Cell information

Information messages may be sent to network subscribers within a certain area or cell.

Please note!

Contact your service provider for more information.

1. Press **OK**.
2. Select one of the following options and press **OK**.

Function on/off	To turn information On or Off
Read	Select read and press OK to read the message
Languages	Select language and press OK
Settings	Select one of the following options: Select, Add, Edit or Delete and press OK .

Network setup

1. Press **Menu**, scroll to  and press **OK**.
2. Select **Network setup** and press **OK**.
3. Select one of the following options and press **OK** to confirm.

Automatic	Network is selected automatically.
Manual	A list of available network operators is displayed (after a short delay). Select the desired operator and press OK .

Services

This menu may contain pre-programmed services from your network provider. Depending on network support and subscription.

Notes on practical experience

Note: in the UK it automatically latched on to O₂-UK and I could call the CI using either 0044-1925... or 01925.

When I looked for other transmitters and selected O₂-UK manually, everything worked. But when I tried to go back to automatic (and had to register) I was only allowed to make SOS calls.

Alenka got through from HH just using 0176....., but 01058-0044-176.... didn't work. What happens with simply 0044-176....? — also no go!

With O₂-UK still selected manually, I couldn't get a signal in Amsterdam. When I then manually selected Vodaphone, a T-Kom etc, I couldn't get service. Also no success trying to register for automatic.

Later (second trip to the CI?): back in Amsterdam on the way home, it auto-selected KPN and that worked.

Also, while still set at automatic (i.e. it latched on to O₂-DE) after returning from the US, I could connect from Amsterdam.

To call someone in the US from the US, start with 001-... Without the 001, it calls Germany and gets a wrong number (the bills show 0049-...)

So, a call to Fanglei's handy in NPN is an international call and she sees it as coming from +49-176...!

To call Germany from the US use 011-49-....