

- Use of Track Detectors for Momentum Measurement

- Gas Detectors**

- Proportional Chamber
- Drift Chamber
- TPC
- MSGC, RPC, GEM

- Silicon Detectors**

- Strip Detectors
- Pixel Detectors

Relative Momentum Error

For 3 points the relative momentum resolution is given by: $\frac{\sigma(p_T)}{p_T} = \frac{\sigma_s}{s} = \sqrt{\frac{3}{2}}\sigma(x) \cdot \frac{8p_T}{0.3BL^2}$

- degrades linearly with transverse momentum
- improves linearly with increasing B field
- improves quadratically with radial extension of detector


In the case of N equidistant measurements according to Gluckstern [NIM 24 (1963) 381]:

$$\frac{\sigma(p_T)}{p_T} = \frac{\sigma(\kappa)}{\kappa} = \frac{\sigma(x) \cdot p_T}{0.3BL^2} \sqrt{\frac{720}{(N+4)}} \quad (\text{for } N \geq 10, \text{ curvature } \kappa = 1/\rho)$$

Example: For $p_T = 1 \text{ GeV}$, $L = 1 \text{ m}$, $B = 1 \text{ T}$, $\sigma(x) = 200 \mu\text{m}$ and $N = 10$ one obtains:

$$\frac{\sigma(p_T)}{p_T} \approx 0.5\% \quad \text{for a sagitta } s \approx 3.8 \text{ cm}$$

Important track detector parameter: $\frac{\sigma(p_T)}{p_T^2}$ (%/GeV)



Momentum is determined by measurement of **track curvature** $\kappa = 1/\rho$ in B field:


Measure **sagitta** s of the track. For the momentum component transverse to B field:

$$p_T = qB\rho$$

$$\text{Units: } p_T[\text{GeV}] = 0.3B[\text{T}]\rho[\text{m}]$$

$$\frac{L/2}{\rho} = \sin \frac{\theta}{2} \approx \frac{\theta}{2} \quad (\text{for small } \theta) \Rightarrow \theta \approx \frac{L}{\rho} = \frac{0.3B \cdot L}{p_T}$$

$$s = \rho \left(1 - \cos \frac{\theta}{2}\right) \approx \rho \left(1 - \left(1 - \frac{1}{2} \frac{\theta^2}{L^2}\right)\right) = \rho \frac{\theta^2}{8} \approx \frac{0.3L^2B}{8p_T}$$



For the simple case of three measurements:
 $s = x_2 - (x_1 + x_3)/2 \Rightarrow ds = dx_2 - dx_1/2 - dx_3/2$
with $\sigma(x) \approx dx_i$ uncorrelated error of single measurement:

$$\sigma_s^2 = \sigma^2(x) + \frac{\sigma^2(x)}{4} \cdot 2 = \frac{3}{2}\sigma^2(x)$$

Contribution from Multiple Scattering

The contribution to the momentum error from MS is given by:

$$\left. \frac{\sigma(p_T)}{p_T} \right|_{MS} = \frac{\sigma^{MS}(s)}{s} = \frac{\frac{L'}{4\sqrt{3}} \frac{13.6 \times 10^{-3}}{p\beta} z \sqrt{X_0}}{0.3BL^2 z / (8p_T)} = \frac{52.3 \times 10^{-3}}{\beta B \sqrt{LX_0 \sin \theta}} \quad \text{with} \quad \begin{aligned} L' &= L/\sin \theta \quad \text{total path} \\ p_T &= p \sin \theta \end{aligned}$$


for $\beta \rightarrow 1$ this part is momentum independent!



The combined total momentum error is:

$$\left(\frac{\sigma_p}{p} \right)^2 = \left(\sqrt{\frac{720}{N+4}} \frac{\sigma_x p \sin \theta}{0.3BL^2} \right)^2 + \left(\frac{52.3 \times 10^{-3}}{\beta B \sqrt{LX_0 \sin \theta}} \right)^2 + (\cot \theta \sigma_\theta)^2$$


Example for momentum dependence of individual contributions



First Track Detectors

Until ≈ 1970 :

- optical measurements using
 - bubble chambers
 - emulsions
 - spark chambers
- manual reconstruction
- can handle only very low data rates



carsten.niebuhr@desy.de

5

Particle Detectors 2

Primary and Total Ionisation Yield in Gases

| Gas | Density ρ [g/cm ³] | I_0 [eV] | W [eV] | n_p [cm ⁻¹] | n_T [cm ⁻¹] |
|--------------------------------|--|---------------|-----------|------------------------------|------------------------------|
| H ₂ | 8.99×10^{-5} | 15.4 | 37 | 5.2 | 9.2 |
| He | 1.78×10^{-4} | 24.6 | 41 | 5.9 | 7.8 |
| N ₂ | 1.23×10^{-3} | 15.5 | 35 | 10 | 56 |
| O ₂ | 1.43×10^{-3} | 12.2 | 31 | 22 | 73 |
| Ne | 9.00×10^{-4} | 21.6 | 36 | 12 | 39 |
| Ar | 1.78×10^{-3} | 15.8 | 26 | 29 | 94 |
| Kr | 3.74×10^{-3} | 14.0 | 24 | 22 | 192 |
| Xe | 5.89×10^{-3} | 12.1 | 22 | 44 | 307 |
| CO ₂ | 1.98×10^{-3} | 13.7 | 33 | 34 | 91 |
| CH ₄ | 7.17×10^{-4} | 13.1 | 28 | 16 | 53 |
| C ₄ H ₁₀ | 2.67×10^{-3} | 10.8 | 23 | 46 | 195 |

avg. ionisation pot. / shell elect.
average energy loss/ion pair
number primary electron-ion pairs
total number electron-ion pairs



@ STP

Total number of produced electron-ion

$$\text{pairs: } n_T = \frac{\Delta E}{W_i} = \frac{dE}{dx} \frac{\Delta x}{W_i} \quad \text{with}$$

• ΔE = total energy loss in Δx and

• W_i = average energy loss per produced ion pair: $n_T \approx 2 \dots 7 \cdot n_p$



Gas Detectors


Criteria for optimal momentum resolution:

- many measurement points
- large detector volume
- very good single point resolution
- as little multiple scattering as possible

Gas detectors provide a good compromise and are used in most experiments. However:

- per cm in Argon only ca. 100 electron-ion pairs are produced by ionisation (see next page)
- this has to be compared with the noise of a typical amplifier of ≈ 1000 e-

⇒ a very efficient amplification mechanism is required



6

Particle Detectors 2

Gas Amplification

For cylindrical geometry:



$$E(r) \propto \frac{1}{r} \quad \text{and} \quad V(r) \propto \ln \frac{r}{a}$$

• the primary electrons drift towards the positive anode

• due to $1/r$ dependence the electric field close to very thin wires reaches values of $E > \text{kV/cm}$

• ⇒ in between collisions with atoms electrons gain enough energy to ionize further gas molecules

• ⇒ exponential increase in number of electron-ion pairs very close (few μm) to the wire



carsten.niebuhr@desy.de

7

Particle Detectors 2

8

Particle Detectors 2

First Townsend Coefficient

Number of electron-ion pairs created per unit length in the avalanche per electron is given by the first Townsend coefficient α :

- relation to cross section for ionisation:

$$\alpha = \sigma_{ion} \cdot \frac{N_A}{V_{Mol}}$$

- number of produced ions: $n(x) = n_0 \cdot \exp(\alpha(E) \cdot x)$


- the **gas gain** is given by:

$$A = \frac{n}{n_0} = \exp \left[\int_a^{r_c} \alpha(r) dr \right]$$


with a anode diameter and r_c distance to wire where avalanche starts

- example: Argon and $E = 100\text{eV}$:


$$\sigma = 3 \times 10^{-16} \text{cm}^2 \Rightarrow \alpha^{-1} \approx 1\mu\text{m}$$



Avalanche Formation




- due to transverse diffusion a droplet like avalanche develops around the anode
- electrons are collected very fast ($\approx 1\text{ ns}$) mobility of electrons ≈ 1000 times larger than for ions
- the cloud of positive ions remains and slowly drifts towards the cathode




picture taken with cloud chamber

Drift and Diffusion in Gas

No electric field ($E = 0$): thermal diffusion



With electric field ($E > 0$): charge transport and diffusion




Signal Shape

The signals which are induced on anode and cathode come from the fact that charges move in the electric field between the electrodes: $dv = \frac{Q}{ICV_0} \frac{dV}{dr} \cdot dr$

Most of the electron-ion pairs are created very close to the anode wire \Rightarrow


- electrons only move a short distance in the electric field: dr small
- in contrast the ions move all the way back to the cathode: dr much larger
- \Rightarrow most of the signal is induced by the movement of the ions which takes relatively long
- usually the signal has to be electronically differentiated



(F. Sauli, CERN 77-09)

Modes of Operation of Gas Detectors

- Ionisation chamber:
complete charge collection, but no charge amplification.
- Proportional counter:
above threshold voltage multiplication starts. Detected signal proportional to original ionization → energy measurement (dE/dx) possible. Secondary avalanches have to be quenched. Gain $\approx 10^4\text{-}10^5$
- Region of limited proportionality:
or streamer mode: strong photo emission → secundary avalanches. Needs efficient quencher or pulsed HV. Gain upto $\approx 10^9$, hence simple electronics sufficient.
- Geiger-Müller counter:
massive photo emission. Full length of anode wire affected. Stop discharge by HV breakdown. Strong quenchers needed.



carsten.niebuhr@desy.de

13

Particle Detectors 2

Multi Wire Proportional Chamber



Generalize principle of proportional tube to large area detector.

Multi Wire Proportional Chamber: MWPC

George Charpak 1968

- anode wires act as independent detectors
- capacitive coupling of negative signal from anode wire where avalanche is formed to neighbours is small compared to pulse, which is generated by ions drifting towards cathode
- furthermore development in electronics: possibility to read many channels in parallel → 10^6 tracks per second
⇒ Breakthrough in detector development


Nobelprize for physics 1992



carsten.niebuhr@desy.de

15

Family Tree of Gaseous Detectors



carsten.niebuhr@desy.de

14



Particle Detectors 2

MWPC


Use of gold plated tungsten wires with diameter $15\text{-}30\mu\text{m}$ as anode wires. Chamber walls made from glass fiber material (rigid, low mass). Thin metal foil acting as cathode (typically $d \approx 50\mu\text{m}$). Typical dimensions: $d = 2\text{mm}$, $L = 4\text{mm}$.

Electrostatic potential in a planar MWPC given by:

$$V(x, y) = -\frac{q}{4\pi\epsilon_0} \ln \left\{ 4 \left[\sin^2\left(\frac{\pi x}{d}\right) + \sinh^2\left(\frac{\pi y}{d}\right) \right] \right\}$$



resolution $\sigma = d/\sqrt{12}$
electric field lines




carsten.niebuhr@desy.de

16

Particle Detectors 2

Principal of a Driftchamber



TDC: Time to Digital Converter

Measure arrival time t_1 of electrons at anode wire relative to reference t_0 .

- external definition of time reference t_0 (here by fast scintillator signal)

- x -coordinate given by:

$$x = \int_{t_0}^{t_1} v_D(t) dt$$


- if drift velocity v_D constant over full drift distance: $x = v_D(t_1 - t_0) = v_D \Delta t$
- advantage of drift chambers: much larger sensitive volume per read out channel

carsten.niebuhr@desy.de

17

Particle Detectors 2

Examples for Cylindrical Driftchamber Geometries





carsten.niebuhr@desy.de

19

Particle Detectors 2

v_{drift} vs E-Field in various Argon-Mixtures




- strong dependence on the choice of the gas mixture
- details of the energy dependence of the ionisation cross section (Ramsauer minimum) result in a characteristic maximum of the E field dependence.
- for stable operation it is useful to operate in the maximum: $\frac{dv_{\text{drift}}}{dE} = 0$
- typical drift velocities: $v_{\text{drift}} \approx 2-10 \text{ cm}/\mu\text{s} = 20-100 \mu\text{m}/\text{ns}$

carsten.niebuhr@desy.de

18

Particle Detectors 2

Isochrones & Lorentzangle



carsten.niebuhr@desy.de



20

Particle Detectors 2

Intrinsic Position Resolution

The intrinsic position resolution is influenced by three effects:

- **statistics of primary ionisation**: point of origin of primary cluster varies by $\approx 100\mu\text{m}$
- **diffusion of electron cloud** during its drift to anode
 - $\sigma = \frac{1}{\sqrt{n}} \sqrt{\frac{2Dx}{\mu E}}$
 - Lorentz effect
- limitations in time resolution of whole chain of **electronic signal processing**
 - cable
 - pulse shaping
 - definition of time reference t_0 etc




carsten.niebuhr@desy.de

21


Particle Detectors 2

Options for Readout of Second Coordinate


Crossed Planes




Segmented Cathodes



Charge Division, z-by-timing





Stereo Wires



Driftchambers during Construction

H1 Central Jet Chamber





22

Particle Detectors 2

Time Projection Chamber

In the seventies D.Nygren developed the Time Projection Chamber (TPC).

- large gas volume with one central electrode
- minimal amount of material
- electrons drift in strong electric field over distance of several meters to end walls where they can be registered for example with MWPCs
 - readout of anode wires and cathode pads $\rightarrow x,y$
 - drift time $\rightarrow z$
 - \Rightarrow unambiguous **3d hit measurements**
- diffusion strongly reduced, since $E \parallel B$
 - \Rightarrow electrons spiral around E-field lines: Larmor radius $< 1\mu\text{m}$
- laser calibration for precise v_D determination
- very good hit resolution and dE/dx meas.
- long drift times ($\approx 40\mu\text{s}$) \Rightarrow
 - rate limitation
 - very good gas quality required



carsten.niebuhr@desy.de

23


Particle Detectors 2

carsten.niebuhr@desy.de

24

Particle Detectors 2


Example ALEPH TPC at LEP



achieved resolutions:

$$\sigma_{r\phi} = 170 \mu\text{m}$$

$$\sigma_z = 740 \mu\text{m}$$




carsten.niebuhr@desy.de

25

Particle Detectors 2

ALEPH TPC Event




carsten.niebuhr@desy.de

26

Particle Detectors 2

Example ALICE TPC @ LHC




- size: $L=5\text{m}$, $R=2.5\text{m}$, $V=88\text{m}^3$
- pad size: $4 \times 7.5 \text{ mm}^2$
- # channels: 570.000
- gas: Ne- CO_2 90:10
- gain: 2×10^4
- drift voltage: 100kV , 400V/cm
- start of operation: 2007

carsten.niebuhr@desy.de

27

Particle Detectors 2



carsten.niebuhr@desy.de

28

Particle Detectors 2

Construction of ALICE Field Cage




Gating in a TPC

A specific problem in a TPC is presented by the **ions drifting back** to the central electrode. At high rates they disturb the homogeneity of the electric field in the drift region.

Solution by so-called **gating**:

- ions are collected on **shielding grid**
- only electrons from "interesting" tracks reach the amplification region; others are collected on **gating grid**
- this requires use of an external trigger





carsten.niebuhr@desy.de

29

Particle Detectors 2

Micro Strip Gas Chambers MSGC




Advantages

- very precise and small anode/cathode structures can be produced with lithographical methods → **very good position resolution**
- **high mechanical stability**
- small drift distance for ions → **high rate capability**

carsten.niebuhr@desy.de

31


Aging Effects in Wire Chambers



Deposits on anode wires
Complex plasma-chemical reactions in the avalanche can lead to polymerisation

This can make chambers unusable:

- inefficiency
- HV instabilities




Measures against aging:

- carefully select materials for whole system
- highest gas quality - no impurities
- avoid excessive chamber currents


carsten.niebuhr@desy.de

30

Resistive Plate Chambers RPC



- robust and simple detector
 - no wires
- relatively cheap
 - well suited for large areas (muon systems)
- fast signal
 - < 5 ns (trigger)
- good rate capability
 - few kHz/cm²



carsten.niebuhr@desy.de


32

Particle Detectors 2

Gas Electron Multiplier GEM

In the late 90's developed by F.Sauli at CERN [NIM A386 (1997), 531]

- typical gain of $\approx 10^3$ at 500V
- can stack several stages on top of each other
- \rightarrow large total gain at relatively moderate HV




carsten.niebuhr@desy.de

33

Particle Detectors 2

Detector R&D: GEM Readout for TPC at ILC


- Narrow pad response function: $\Delta s \sim 1$ mm
- Fast signals (no ion tail): $\Delta t \sim 20$ ns
- Very good multi-track resolution: $\Delta V \sim 1$ mm³
 - Standard MWPC TPC ~ 1 cm³
- Ion feedback suppression: $I_+/I_- \sim 0.1\%$



carsten.niebuhr@desy.de


35

Particle Detectors 2



Main Characteristics of GEM Detectors

- Rate capability ~ 1 MHz mm⁻²
- Position accuracy (MIPs) $\sigma \sim 60$ μm
- Radiation tolerance > 100 mC mm⁻²
 - corresponds to $\sim 10^{14}$ MIPs cm⁻²



carsten.niebuhr@desy.de

34

Particle Detectors 2

Comparison of various Trackdetectors

| Detector type | Positionresol. [μm] | Deadtime [ms] | Electron. readout | Advantage | Problems |
|----------------------|---------------------|---------------|-------------------|--------------|------------------|
| Detektortyp | Ortsauflösung [μm] | Totzeit [ms] | elektr. Auslese | Vorteile | Nachteile |
| Kernemulsion | 2 - 5 | — | nein | Ortsaufl. | keine Zeitaufl. |
| Blasenkammer | 8 - 100 | $\sim 10^2$ | nein | — | nicht triggerbar |
| Funkenkammer | 100 - 200 | 0.01 - 1 | ja | einf. Aufbau | Totzeit |
| Streamerkammer | 30 - 300 | 0.03 - 0.1 | nein | — | Totzeit |
| Proportionalkammer | 100 - 700 | — | ja | Zeitaufl. | — |
| Driftkammer | 50 - 200 | — | ja | Ortsaufl. | — |
| Mikrostreifenkammer | 20 - 70 | — | ja | Ortsaufl. | — |
| Streifendetektor | 3 - 7 | — | ja | Ortsaufl. | — |
| Silizium-Driftkammer | 5 - 20 | — | ja | Ortsaufl. | Fertigung |
| CCD | 5 × 6 | — | ja | Ortsaufl. | serielle Auslese |
| Pixeldetektor | 3 × 15 | — | ja | Ortsaufl. | Fertigung |

carsten.niebuhr@desy.de

36

Particle Detectors 2